


R90026



DIESEL PASSENGER TRUCK CATALOG



PRECISION ENGINE PARTS - HIGH PERFORMANCE

Phone: 1-800-423-2202 (702)263-6300

7240 Placid St. Las Vegas, NV. 89119 USA

Fax: 1-800-423-2737 (702)263-4916

P.O. Box 95758 Las Vegas, NV. 89193 USA

www.PRECISIONENGINEPARTS.com

DODGE

1 359 C.I. (5.9L) OHV, DIESEL, FI, VIN 8, C, D, **TURBO CUMMINS** 1989-98 2 VALVE L6

PART		YEARS	PART NO.	NOTES
Valves	Int.	1989-98	PV4385	1.77x8mmx5.08
	HP	1989-98	PV4385HP	1.79x8mmx5.08 - S/S, S/P, FULL MACHINED
	Exh.	1989-98	PV4384	1.65x8mmx5.08
	HP	1989-98	PV4384HP	1.66x8mmx5.08 - S/S, S/P, FULL MACHINED
Seats	Int.	1989-98	PC1853E-1	1.853x.273x1.498/1.700 HI-CHROME - OEM
		1989-98	PC1875-8	1.875x.218x1.500/1.625 HI-CHROME
	Exh.	1989-98	PC1722E-1	1.722x.265x1.357/1.574 HI-CHROME - OEM
		1989-98	PC1750-7	1.750x.218x1.375 HI-CHROME
Guides	Int.	1989-98	C8177	.316x.552x2.397
	Exh.	1989-98	C8178	.316x.553x2.052
	Both	1989-98	C8277	.316x.439x2.500
Seals	Both	1989-98	32473	.313x.500 "Viton"
Locks	Both	1989-98	059-889-500	Top-bead 8mm
Springs	Both	1989-96	050-1348	1.32odx0.94id* 59Lb.@2.00
		1997-98	050-1379	1.32odx0.94id* 78Lb.@2.00
Retainers	Both	1989-98	VSR359	1.345x0.925
Flexplate	HP	1989-98	FPHD359D	15.31odx152t---W/O-WEIGHT SFI

2 359 C.I. (5.9L) OHV, DIESEL, FI, VIN 6, 7, C, D, **CUMMINS TURBO ISB** 1998-09 4 VALVE L6

PART		YEARS	PART NO.	NOTES
Valves	Int.	1998-09	P5096	1.29x7mmx4.90x30dg.
	Exh.	1998-04	P5095	1.29x7mmx4.89x45dg.
		2005-09	P5136	1.29x7mmx4.89"45dg"
Seats	Int.	1998-09	PC1375E-1	1.375x.227x1.100/1.140 HI-CHROME
	Exh.	1998-09	PC1375E-2N	1.375x.227x1.100/1.140 HI-NICKEL
Guides	Int.	1998-04	C3021	.277x.501x1.937
		1998-09	C3033	.278x.501x1.937
		1998-09	C3080	.277x.439x1.937
	Exh.	1998-04	C3022	.277x.501x2.020
		1998-09	C3034	.278x.501x2.020
		1998-09	C3081	.277x.439x2.020
Seals	Int.	1998-02	277517	.277x.517 "Viton"
	Exh.	1998-02	275515	.275x.515 "Viton"
	Both	2003-09	276516	.276x.516 "Viton"
Locks	Both	1998-09	059-109-700	Top-bead 7mm
Springs	Both	1998-09	050-1484	1.08odx0.74id* 76Lb.@1.39
Springs	HP	1998-09	053-405-300	1.08odx0.74id*126Lb.@1.34 - *230Lb.@.93
Flexplate	HP	1998-09	FPHD359D	15.31odx152t---W/O-WEIGHT SFI

DODGE

3 408 C.I. (6.7L) OHV, DIESEL, FI, VIN A, L, CUMMINS TURBO ISB 2007-12				4 VALVE L6
PART		YEARS	PART NO.	NOTES
Valves	Int.	2007-11	P5096	1.29x7mmx4.90x30dg.
	Exh.	2007-11	P5136	1.29x7mmx4.89"45dg"
Seats	Int.	2007-11	PC1375E-1	1.375x.227x1.100/1.140 HI-CHROME
	Exh.	2007-11	PC1375E-2N	1.375x.227x1.100/1.140 HI-NICKEL
Guides	Int.	2007-11	C3021	.277x.501x1.937
		2007-11	C3033	.278x.501x1.937
		2007-11	C3080	.277x.439x1.937
	Exh.	2007-11	C3022	.277x.501x2.020
		2007-11	C3034	.278x.501x2.020
		2007-11	C3081	.277x.439x2.020
Seals	Both	2007-11	276516	.276/.516 "Viton"
Locks	Both	2007-11	059-109-700	Top-bead 7mm
Springs	Both	2007-11	050-1484	1.08odx0.74id* 76Lb.@1.39
Springs	HP	2007-11	053-405-300	1.08odx0.74id*126Lb.@1.34 - *230Lb.@.93
Flexplate	HP	2007-11	FPHD408D	15.31odx152t SFI (New #)

FORD

1 363 C.I. (6.0L) OHV, DIESEL, FI, VIN P, NAVISTAR POWERSTROKE TURBO 2003-10				4 VALVE V8
PART		YEARS	PART NO.	NOTES
Valves	Int.	2003-10	P5116	1.33x7mmx5.01
	Exh.	2003-10	P5117	1.10x7mmx5.05
Seats	Int.	2003-10	PC1375-2	1.375x.250x1.125 HI-CHROME
		2003-10	M21375-2	" " " TUNGSTEN CARBIDE
		2003-10	PC1375-1	1.375x.218x1.125 HI-CHROME
		2003-10	M21375-1	" " " TUNGSTEN CARBIDE
	Exh.	2003-10	PC1187-52	1.187x.257x0.934/0.995 HI-CHROME
		2003-10	PC1161E-1+30	1.191x.222x0.910/0.975 HI-CHROME
		2003-10	PC1250-3	1.250x.250x1.000 HI-CHROME
		2003-10	M21250-3	" " " TUNGSTEN CARBIDE
Guides	Both	2003-10	C3055	.276x.439x2.331
		2003-10	C2017	.276x.502x2.300
Seals	Both	2003-10	275562	.275x.562 "Viton"
Locks	Both	2003-10	059-011-050	Top-bead 7mm
Springs	Both	2003-10	050-1458	0.99odx0.65id* 64Lb.@1.88
Springs	HP	2008-10	053-404-000	0.99odx0.65id* 84Lb.@1.88 - *230Lb.@1.44
Retainers	Both	2003-10	VSR328	0.912x0.621
Cyl. Head	Both	2002-04	CHF60D	CAST IRON - 18mm DOWEL GUIDE
		2005-07	CHF60D-L	CAST IRON - LATE - 20mm DOWEL GUIDE

FORD

2 391 C.I. (6.4L) OHV, DIESEL, FI, VIN R, NAVISTAR MAXXFORCE 7 2008-10 4 VALVE V8

PART		YEARS	PART NO.	NOTES
Valves	Int.	2008-10	P5196	1.33x7mmx5.138
	Exh.	2008-10	P5195	1.16x7mmx5.138
Guides	Both	2008-10	C3055	.276x.439x2.331
Seals	Both	2008-10	275562	.275x.562 “Viton”
Locks	Both	2008-10	059-011-050	Top-bead 7mm
Springs	Both	2008-10	050-1458	0.99odx0.65id* 64Lb.@1.88
Springs	HP	2008-10	053-404-000	0.99odx0.65id* 84Lb.@1.88 - *230Lb.@1.44
Retainers	Both	2008-10	VSR328	0.912x0.621

3 406 C.I. (6.7L) OHV, DIESEL, FI, VIN T, POWERSTROKE TURBO 2011-12 4 VALVE V8

PART	YEARS	PART NO.	NOTES
Locks	Both	2011-12	059-840-100
			3 Round-bead 7mm

4 420 C.I. (6.9L) OHV, DIESEL, FI, VIN 1, NAVISTAR 1983-87 2 VALVE V8

PART		YEARS	PART NO.	NOTES
Valves	Int.	1983-87	P3304	1.87x3/8x5.68
	Exh.	1983-87	P3305X	1.59x3/8x5.67
Seats	Int.	1983-84	PC1875-38	1.875x.187x1.625 HI-CHROME
		1985-87	PC1937-23	1.937x.187x1.687 HI-CHROME
	Exh.	1983-87	PC1669E-1	1.669x.272x1.372/1.429 HI-CHROME
		1983-87	M21669E-1	“ “ “ TUNGSTEN CARBIDE
Guides	Both	1983-87	C7689	.374x.625x2.600
		1983-87	C7712	.373x.627x2.600
Seals	Exh.	1983-87	32976	.372x.775 “Nylon”
	Both	1983-87	32623	.372x.775 “Viton”
Locks	Both	1983-87	059-144-526	Single-groove 3/8
Springs	Both	1983-87	050-887-7	1.39odx1.00id* 76Lb.@1.80
Pushrods	Both	1983-87	52A001	10.013x11/32

5 445 C.I. (7.3L) OHV, DIESEL, FI, VIN F, NAVISTAR TURBO DIRECT INJ POWERSTROKE 1994-03 2V V8

PART		YEARS	PART NO.	NOTES
Valves	Int.	1994-03	PV4494	1.68x8mmx5.81
	Exh.	1994-03	PV4495	1.68x8mmx5.80
Seats	Int.	1994-03	PC1750-4	1.750x.250x1.437 HI-CHROME
		1994-03	M21750-4	“ “ “ TUNGSTEN CARBIDE
	Exh.	1994-03	PC1750-4N	“ “ “ HI-NICKEL
Guides	Both	1994-03	C8476	.314x.565x2.440
		1994-03	C5001G	.312x.439x2.500
Seals	Both	1994-03	315565	.315x.565 “Hat”
Locks	Both	1994-03	059-614-200	Single-groove 8mm
Springs	Both	1994-03	050-887-7	1.39odx1.00id* 76Lb.@1.80

GMC/CHEVY

1 379 C.I. (6.2L) OHV, DIESEL, FI, VIN C, J 1982-93 2 VALVE V8				
PART		YEARS	PART NO.	NOTES
Valves	Int.	1982-83	P3255	1.96x11/32x5.11
		1982-93	P3254	1.81x11/32x5.11
	Exh.	1982-87	PS3162	1.65x3/8x5.11
		1984-93	PS3299	1.49x3/8x5.10
		1988-93	PS3368	1.53x3/8x5.11
Seats	Int.	1982-93	PC1937-23	1.937x.187x1.687 HI-CHROME
		1982-83	PC2000-22	2.000x.156x1.750 HI-CHROME
	Exh.	1982-93	PC1687-15	1.687x.156x1.437 HI-CHROME
		1982-93	M21687-15	“ “ “ TUNGSTEN CARBIDE
		1982-93	PC1562-36N	1.562x.187x1.312 HI-NICKEL
Guides	Int.	1982-93	C9715	.343x.502x2.125
	Exh.	1982-93	C9716	.373x.502x2.188
Seals	Int.	1982-93	55534	.294x.420 “Nitrile” - O ring
	Exh.	1982-93	375615	.375x.615 “Viton”
		1982-93	55676-P	.372x.625 “Poly”
Locks	Both	1982-93	059-117-060	Single-groove 11/32
Springs	Both	1982-93	051-220-7	1.250dx0.87id* 80Lb.@1.81
Retainers	Both		VSR105	1.200x0.740
Rotators	Exh.	1982-93	RC157	
Pushrods	Both	1982-93	42A001	8.845x3/8x.075
Oil Shield	Int.		VSC-395	VALVE-STEM-OIL-DEF/SHIELD
2 395 C.I. (6.5L) OHV, DIESEL, FI, VIN P, Y 1994-99 2 VALVE V8				
PART		YEARS	PART NO.	NOTES
Valves	Int.	1992-04	P3254	1.81x11/32x5.11
	Exh.	1992-04	PS3368	1.53x3/8x5.11
Seats	Int.	1992-04	PC1937-23	1.937x.187x1.687 HI-CHROME
	Exh.	1992-04	PC1562-36N	1.562x.187x1.312 HI-NICKEL
Guides	Int.	1992-04	C9715	.343x.502x2.125
	Exh.	1992-04	C9716	.373x.502x2.188
Seals	Int.	1992-04	55534	.294x.420 “Nitrile” - O ring
	Exh.	1992-04	375615	.375x.615 “Viton”
		1992-04	55676-P	.372x.625 “Poly”
Locks	Both	1992-04	059-117-060	Single-groove 11/32
Springs	Both	1992-04	051-220-7	1.250dx0.87id* 80Lb.@1.81
Retainers	Both		VSR105	1.200x0.740
Rotators	Exh.	1992-04	RC157	
Pushrods	Both	1992-04	42A001	8.845x3/8x.075
Oil Shield	Int.	1992-99	VSC-395	VALVE-STEM-OIL-DEF/SHIELD
Cyl. Head			CHGM65 CHGM65-VAN	90° CAST # 567 INT/BOLT 60° INT/BOLT

GMC/CHEVY

3 400 C.I. (6.6L) OHV, DIESEL , FI, VIN 1, 2, 3, 6, 8, D, L, DURAMAX 2001-12 4 VALVE V8				
PART	YEARS	PART NO.	NOTES	
Valves	Int.	2001-07	P5124	1.29x7mmx4.975
		2001-07	P5124N	“ “ “ NITRITED
	Exh.	2001-06	P5125	1.22x7mmx4.963
		2001-06	P5125N	“ “ “ NITRITED
Seats	Int.	2001-12	PC1343E-1	1.343x.237x1.069/1.180 HI-CHROME
	Exh.	2001-12	PC1264E-1	1.264x.237x0.977/1.098 HI-CHROME
Guides	Both	2001-12	C3049	.275x.454x1.967 - O/S AVAILABLE
		2001-12	B5640	.275x.454x1.970
		2001-12	B5649	.275x.454x1.970
Seals	Both	2001-07	276438	.276x.438 “Viton”
Locks	Both	2001-12	059-010-480	Round-bead 7mm
Springs	Both	2001-12	050-1457	1.17odx0.86id* 34Lb.@1.94
Springs	HP	2001-12	053-404-100	1.22odx0.86id* 75Lb.@1.90 - *150Lb.@1.40
Retainers	Both	2001-12	VSRGM66D	1.175x.819
Cyl. Head		2001-06	CHGM66D	ALUMINUM

Go to www.PRECISIONENGINEPARTS.com for our other catalogs!

Precision Engine Parts - High Performance

Phone: 1-800-423-2202 (702) 263-6300 7240 Placid St. Las Vegas, NV. 89119 USA

Fax: 1-800-423-2737 (702) 263-4916 P.O. Box 95758 Las Vegas, NV. 89193 USA